AMINO METRICS

CERTIFICATE OF ANALYSIS

Tirzepatide 30mg

Certificate #AM-2608-0046

Verify code 7ef7-364e-62db-e4f1-0db6-2e3f-32e2-bcff-9fd1-3a2c-1cd9-0035 (separate from the certificate #)

ISSUED TO
CGL Peptide

COMPOUND TESTED
Tirzepatide 30mg

CLIENT REFERENCE
PPA-CGL-TR30-RRTT062026/5/24-2028/5/23

STATUS
GENERATED

DATE RECEIVED
2026-07-29


DATE TESTED
2026-08-04

DATE ISSUED
2026-08-04

ANALYST
AR

SOURCE
Undisclosed


SAMPLE AS RECEIVED



SUMMARY OF RESULTS

TEST	RESULT	METHOD	SPECIFICATION	OUTCOME
Purity	99.70%	HPLC	>= 98%	PASS
Net Content	134.67% of label claim	Beer-Lambert Law (AUC)	90–115%	OVER

HPLC Purity Analysis



NOTES

Void-volume artifact peak at 4.820 min excluded from integration. Single genuine analyte peak at retention time 14.455 min. Reference elution 54.2% acetonitrile vs. customer sample 54.4% acetonitrile.

Physical & Quantity Checks

Net Content	40.40 mg (134.67%)	90–115%	OVER

Verify: https://aminometrics.com/verify

Enter verify code 7ef7-364e-62db-e4f1-0db6-2e3f-32e2-bcff-9fd1-3a2c-1cd9-0035 (not the certificate # above)

Research use only. Not for human or veterinary use. Results relate only to the sample as received and tested.

Not usage or dosage guidance, and not a claim about the intended use, application, or functionality of this compound.